

Ceník - majáky


(x;C) - barva diod; čirý kryt majáku:

(A;C) - oranžová, (B;C) - modrá, (R;C) - červená, (G;C) - zelená

(x) - barva diod a krytu majáku:

(A) - oranžová, (B) - modrá, (R) - červená

EUR
bez DPH /
ks

obchodní název	napájecí napětí	počet LED	oranžová	modrá	červená		
PEVNÁ MONTÁŽ							
LED							
VML (90)	výška 96 mm, Ø 180 mm, TA1, TB2, TR2						
VML(C) 024L-B-12(x)-90	12/24 V	12 diod	(A;C) 2005020217	(B;C) 2005020433 (B) 2005020215	(R;C) 2005020216		255,10 €
VML(C) 024L-B-18(x)-90	12/24 V	18 diod	(A;C)	(B;C) (B)	(R;C)		287,35 €
VML(C) 024L-B-24(x)-90	12/24 V	24 diod		(B/R;C) 2005020224			369,39 €
VML (140)	výška 133 mm, Ø 180 mm, TA1, TB2, TR2						
VML(C) 024L-B-18(x)-140mm	12/24 V	18 diod	(A;C) 2005020468 (A) 2005021019	(B;C) 2005020451 (B)	(R;C) 2005020452		300,41 €
VMLC/NR (nízký)	výška 93 mm, Ø 220 mm						
VMLC 024L/NR-B-12(24)x	12/24 V	12 (24) diod	(A;C)	(B;C) 2005021233	(R;C)		255,10 €
VMLC 024L/NR-FD-B-12(24)x	12/24 V	24 (36) diod	(BA;C) 2005021436	(BR;C) 2005021231	(RA;C) 2005021232		369,39 €
VMLC/NR (vysoký)	výška 134 mm, Ø 220 mm						
VMLC 024L/NR-H-B-12(24)x	12/24 V	12 (24) diod	(A;C)	(B;C) 2005021236	(R;C)		276,33 €
VMLC 024L/NR-FDH-B-24(36)x	12/24 V	24 (36) diod	(BA;C) 2005021437	(BR;C) 2005021234	(RA;C) 2005021235		377,55 €
GUARDIAN-L	výška 67 mm, Ø 148 mm						
GDC-L 024L-B-18x	12/24 V	18 diod	(A;C)				121,22 €
				(B;C)	(R;C)		160,41 €
GDC-L 024L-B-18x18x	12/24 V	36 diod	(BA;C)	(BR;C)			270,61 €
GUARDIAN-H	výška 107 mm, Ø 148 mm						
GDC-H 024L-B-36x	12/24 V	36 diod	(A;C)				181,22 €
				(B;C)	(R;C)		240,82 €
GDC-H 024L-B-36x36x	12/24 V	72 diod	(BA;C)	(BR;C)			350,61 €
B14-VMD	výška 128 mm, Ø 142 mm, TA1, TB1, TR1						
B14-VMD 024L-B-10(x)	12/24 V	10 diod	(A) 2107001060	(B) 2107001061	(R) 2107001302		200,41 €
B16-VMD	výška 80 mm, Ø 142 mm, TA1, TB2, TR1						
B16-VMD 024L-B-8(x)	12/24 V	8 diod	(A) 2107001139	(B) 2107001140	(R) 2107001359		193,47 €
B18-VMD	výška 116 mm, Ø 142 mm, TA1, TB1, TR1						
B18-VMD 024L-B-15(x)	12/24 V	15 diod	(A) 2107001190	(B)	(R)		96,33 €
B18-VMD/154	výška 154 mm, Ø 142 mm, TA1, TB1, TR1						
B18-VMD 024L-B-15(x)/154	12/24 V	15 diod	(A) 2107001191	(B)	(R)		75,92 €
EVOLUX F	výška 89 mm, Ø 148 mm, TA1						
EVOLUX F 024L-B-8(x)	12/24 V	8 diod	(A) 2107001409				62,45 €
				(B) 2107001479			82,04 €
PB-VMD	výška 20 mm, Ø 75 mm, TA1						
PB-VMD 012L-B-36A	12 V	36 diod	(A) 2107001330	(B)	(R)		141,63 €
PB-VMD 024L-B-36A	24 V	36 diod	(A) 2107001377	(B)	(R)		141,63 €
Rotační							
EUROROT	výška 120 mm, Ø 148 mm						
EUROROT 012-B-(x)	12 V		(A) 2107001102				41,22 €
EUROROT 024-B-(x)	24 V		(A) 2107001103				35,10 €

MAGNETICKÉ UCHYCENÍ

Držák majáku (hliníková střeška) 3M páska	2005012640		29,80 €
Držák majáku (hliníková střeška) bez 3M pásky	2005012630		18,37 €

LED

VML (90)	výška 108 mm, Ø 180 mm, TA1, TB1, TB2 (DIM), TR1, TR2 (DIM)					
VML(C) 024L-3M-12(x)-90	12/24 V	12 diod	(A;C) 2005020231	(B;C) 2005020565 (R;C) 2005020230 (B) 2005020229		323,67 €
VML(C) 024L-3M-18(x)-90	12/24 V	18 diod	(A;C)	(B;C) (R;C) (B)		373,47 €
VML(C) 024L-3M-24(x)-90	12/24 V	24 diod		(B/R;C) 2005020397		408,57 €
VML(C) 024L-3M-24(x)-DIM-90	12/24 V	24 diod		(B/R;C) 2005020220		433,06 €

VML (140)	výška 144 mm, Ø 180 mm, TA1, TB1, TB2 (DIM), TR1, TR2 (DIM)					
VML(C) 024L-3M-18(x)-140mm	12/24 V	18 diod	(A;C) (A)	(B;C) (B)	(R;C)	395,92 €

VMLC/NR (nízký)	výška 105 mm, Ø 220 mm					
VMLC 024L/NR-3M-12x	12/24 V	12 diod	(A;C)	(B;C)	(R;C)	323,67 €
VMLC 024L/NR-FD-3M-xx	12/24 V	24 diod		(BR;C)		442,04 €
VMLC 024L/NR-FD-3M-xx-DIM	12/24 V	24 diod		(BR;C) 2008423059		466,53 €

VMLC/NR (vysoký)	výška 145 mm, Ø 220 mm					
VMLC 024L/NR-FDH-3M-xx	12/24 V	24 (36) diod		(BR;C)		450,20 €
VMLC 024L/NR-FDH-3M-xx-DIM	12/24 V	24 (36) diod		(BR;C)		474,69 €

GUARDIAN-L	výška 73 mm, Ø 148 mm					
GDC-L 024L-M-18x	12/24 V	18 diod	(A;C)	(B;C) (R;C)		255,92 €
GDC-L 024L-M-18x18x	12/24 V	36 diod		(BR;C)		295,10 €
GDC-L 024L-M-18x18x	12/24 V	36 diod		(BR;C)		405,31 €

GUARDIAN-H	výška 113 mm, Ø 148 mm					
GDC-H 024L-M-36x	12/24 V	36 diod	(A;C)	(B;C) (R;C)		315,92 €
GDC-H 024L-M-36x36x	12/24 V	72 diod		(BR;C)		375,51 €
GDC-H 024L-M-36x36x	12/24 V	72 diod		(BR;C)		485,31 €

COMET	výška: 187 mm, Ø 165 mm, TB1					
COMET LED-M-(x)	12/24 V			(B) 2107000782		496,33 €

COMET S	výška: 85 mm, Ø 156 mm, TB1					
COMET S-M-(x)	12/24 V			(B) 2107001204		471,02 €

B14-VMD	výška: 128 mm, Ø 142 mm, TA1, TB1					
B14-VMD 024L-MD-10(x)	12/24 V	10 diod	(A) 2107001086	(B) 2107001085		275,51 €

B16-VMD-MD	výška: 80 mm, Ø 118 mm, TB1, TR1					
B16-VMD 024L-MD-8(x)	12/24 V	8 diod	(A)	(B) 2107001092 (R) 2107001101		222,45 €

B16-VMD-M	výška: 80 mm, Ø 118 mm, TA1					
B16-VMD 024L-M-8(x)	12/24 V	8 diod	(A) 2107001245			140,82 €

B18-VMD-M	výška: 116 mm, Ø 118 mm, TA1					
B18-VMD 024L-M-15(x)	12/24 V	15 diod	(A) 2107001192			137,14 €

MOVIA-SL LED	výška: 145 mm, Ø 112 mm, TB1, TR1					
MOVIA-SL LED-(x)	12/24 V			(B) 2107000971 (R) 2107001005		646,53 €

Rotační

EUROROT	výška: 142 mm, Ø 116 mm					
EUROROT 012 M-(x)	12 V		(A) 2107001104			62,86 €

UPEVNĚNÍ NA TYČ DIN-A				
Tyč pro maják UNI		2005011575		88,57 €
LED				
VML (90)	výška: 160 mm, Ø 180 mm, TA1			
VML(C) 012L-A-12(x)	12 V	12 diod	(A) 2008415129	283,27 €
VML (90)	výška: 160 mm, Ø 180 mm, TB2, TR2 (DIM)			
VML(C) 024L-A-12B12R	12/24 V	24 diod	(B/R;C) 2008421183	460,41 €
GUARDIAN-L	výška 124 mm, Ø 148 mm			
GDC-L 024L-A-18x	12/24 V	18 diod	(A;C)	153,88 €
			(B;C) (R;C)	193,06 €
GDC-L 024L-A-18x18x	12/24 V	36 diod	(BA;C) (BR;C)	303,27 €
B14-VMD	výška: 202 mm, Ø 165 mm, TA1			
B14-VMD 024L-A-10(x)	12/24 V	10 diod	(A) 2107001058	154,29 €
B16-VMD	výška: 158 mm, Ø 118 mm, TA1, TB1 (flexibilní uchycení na tyč)			
B16-VMD 024L-FLX-8(x)	12/24 V	8 diod	(A) 2107001098 (B) 2107001118	144,49 €
B18-VMD	výška: 194 mm, Ø 118 mm, TA1			
B18-VMD 024L-A-15(x)	12/24 V	15 diod	(A) 2107001193	89,39 €
COMET	výška: 240 mm, Ø 165 mm, TA1			
COMET LED-A-(x)	12/24 V		(A) 2107000948	451,43 €
EVOLUX F FLX	výška 166 mm, Ø 116 mm, TA1			
EVOLUX F 024-FLX-8A	12/24 V	8 diod	(A) 2107001447	70,20 €
			(B) 2107001493 (R)	98,78 €

Ceny uvedeny v EUR, EXW Valašské Meziříčí, platné ke dni 01.03.2025